

Abstract submitted to the
Conference on Concepts in Electron Correlation
September 24 - 30, 2008 Hvar, Croatia

Fulde-Ferrell-Larkin-Ovchinnikov superconducting state of paired quasiparticles with the spin dependent masses

M. Mańska¹, M. Mierzejewski¹, J. Kaczmarczyk², J. Spalek²

¹ *Institute of Physics, University of Silesia, Uniwersytecka 4, 40-007 Katowice, Poland*

² *Marian Smoluchowski Institute of Physics, Jagiellonian University, Reymonta 4, 30-059 Krakow, Poland*

Submitted : 17-09-2008

Keywords : Spin-dependent quasiparticle masses, Fulde-Ferrell-Larkin-Ovchinnikov phase, particles indistinguishability

Spin dependence of quasiparticle mass has been observed recently in CeCoIn₅ and other systems. It emerges from strong electronic correlations in a magnetically polarized state and was predicted by us earlier. Additionally, the Fulde-Ferrell-Larkin-Ovchinnikov (FFLO) phase has also been discovered in CeCoIn₅ and therefore, the question arises as to what extent these two basic phenomena are interconnected as appears in theory. Here we show [1] that the appearance of the spin-split masses essentially extends the regime of temperature and applied magnetic field, in which FFLO state is stable, and thus, it is claimed to be very important for the phase detectability. Furthermore, in the situation when the value of the spin quantum number $\sigma = \pm 1$ differentiates masses of the particles, the fundamental question arises as to what extent the two mutually bound particles are indistinguishable quantum mechanically? By considering the Cooper-pair state we show explicitly that the antisymmetry of the spin-pair wave function in the ground state may be broken when the magnetic field is applied.

[1] J. Spalek et al., ArXiv:cond-mat/0809.1799